

## References

- <sup>1</sup> Oklahoma State Department of Health, Injury Prevention Service. Unintentional Poisoning Fatality Surveillance System. [Data file].
- <sup>2</sup> Centers for Disease Control and Prevention, National Center for Injury Prevention and Control. (2012). *Web-based Injury Statistics Query and Reporting System (WISQARS)*. Retrieved from [http://webappa.cdc.gov/sasweb/ncipc/dataRestriction\\_inj.html](http://webappa.cdc.gov/sasweb/ncipc/dataRestriction_inj.html). Accessed September 23, 2013.
- <sup>3</sup> Substance Abuse and Mental Health Services Administration. (2010). *Results from the 2009 National Survey on Drug Use and Health*. Retrieved from <http://oas.samhsa.gov/2k8state/AppB.htm>. Accessed September 23, 2013.
- <sup>4</sup> Centers for Disease Control and Prevention. (2011). *Prescription Painkiller Overdoses in the U.S.* Retrieved from <http://www.cdc.gov/vitalsigns/painkilleroverdoses/>. Accessed September 10, 2013.
- <sup>5</sup> Utah Department of Health. (2009). *Utah Clinical Guidelines on Prescribing Opioids for Treatment of Pain*. Retrieved from <http://health.utah.gov/prescription/pdf/guidelines/final.04.09opioidGuidlines.pdf>. Accessed September 10, 2013.
- <sup>6</sup> American College of Occupational and Environmental Medicine. (2008). *Occupational Medicine Practice Guidelines*. Retrieved from <http://www.acoem.org/practiceguidelines.aspx>. Accessed September 23, 2013.
- <sup>7</sup> Braden, J.B., Russo, J., Fan, M., Edlund, M.J., Martin, B.C., DeVries, A., & Sullivan, M.D. (2010). Emergency department visits among recipients of chronic opioid therapy. *Archives of Internal Medicine*, 70(16), 1425-1432.
- <sup>8</sup> Edlund, M.J., Martin, B.C., DeVries, A., Fan, M., Braden, J.B., & Sullivan, M.D. (2010). Trends in use of opioids for chronic non-cancer pain among individuals with mental health and substance use disorders: the TROUP study. *Clinical Journal of Pain*, 26(1), 1-8.
- <sup>9</sup> Washington State - Agency Medical Directors Group. (2010). Interagency Guideline on Opioid Dosing for Chronic Non-cancer Pain: An educational aid to improve care and safety with opioid therapy. Retrieved from <http://www.agencymeddirectors.wa.gov/Files/OpioidGdline.pdf>. Accessed September 23, 2013.
- <sup>10</sup> Washington State Health Care Authority. (2009). *HRSA Toolkit*. Retrieved from <http://www.hca.wa.gov/medicaid/pharmacy/pages/toolkit.aspx>. Accessed October 23, 2013.
- <sup>11</sup> Walker, M.J. & Webster, L.R. (2012). Risk factors for drug diversion in a pain clinic patient population. *Journal of Opioid Management*, 8(6), 351-362.
- <sup>12</sup> Substance Abuse and Mental Health Services Administration. (2012). *Results from the 2010 National Survey on Drug Use and Health*. Retrieved from <http://www.samhsa.gov/data/NSDUH/2k10ResultsRev/NSDUHresultsRev2010.htm>. Accessed September 24, 2013.
- <sup>13</sup> Manchikanti, L., Abdi, S., Atluri, S., Balog, C.C., Benyamin, R.M., Boswell, M.V., . . . Wargo, B.W. (2012). Opioid guidelines 2012: American society of interventional pain physicians (ASIPP) guidelines for responsible opioid prescribing in chronic non-cancer pain: Part I – Evidence assessment pain physician. *Pain Physician Journal*, 15, S1-S66.
- <sup>14</sup> United States Department of Veterans Affairs. (2010). *VA/DoD Clinical Practice Guideline for the Management of Opioid Therapy for Chronic Pain*. Retrieved from [http://www.healthquality.va.gov/Chronic\\_Opioid\\_Therapy\\_COT.asp](http://www.healthquality.va.gov/Chronic_Opioid_Therapy_COT.asp). Accessed September 24, 2013.